

**Maharashtra University of Health Sciences, Nashik Inspection
Committee Report for Academic Year 2026 - 2027**

Clinical Material in Hospital

Name of College/Institute: Samarth Nursing College, Akola

Faculty : Nursing

HOSPITALDETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MOU with any institute for affiliation of hospital in addition to minimum 100 bedded down/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	Available	
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Available	
b.	Student Bed Ratio for UG & PG to be verified:(As per MSR) Calculate at Actual	1:3	
c.	Average Bed Occupancy in % : (Minimum 75%)	85%	
d.	Clinical facilities for PG to be verified:-(As per MSR)		
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD(current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	200 1250 05 Na	
<ul style="list-style-type: none"> • As per Central Council Norms/ University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate"& do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief

Any Other, Please Specify:-

Date:- 02/03/2026

Signature

Dean/Principal Stamp &

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

NO 213



**Certificate of Registration Under Section 5 of
Maharashtra (Bombay)
Nursing Home Registration Act, 1949**

New Registration / Renewal


This is to certify that Dr. Ramdhan P. Shinde
MBBS, DA, MD (Anesthesia)
has been Registered under the Bombay Nursing Home Registration

Act, 1949 in respect of "ICON MULTISPECIALITY HOSPITAL" AKOLA
(AKOLA Life support Pvt. Ltd.)
and has been authorized to carry on the said Nursing Home.

Registration No. : MMC/RENW/44532/202303656
No. of Beds : 120
1) For Maternity : -
2) Other Nursing Patients : -
Total Number of Beds : 120
Date of Issue of Certificate : 10/12/2024

This Certificate of Registration shall be valid upto MAR 2027




10/12/2024
Medical Officer of Health
Akola Municipal Corporation
Akola
Medical Officer of Health
Akola Municipal Corporation
Akola


Dated : 10/12/2024

Principal

Saurabh Nursing College

Kamrise Nagar, Akola.



1961



महाराष्ट्र MAHARASHTRA

2024

25AB 952591



Agreement

This agreement is executed on 01 day of October 2025

Between

Party No: 1 Shree Samartha Shikshan Va Krida Prasarak Mandal, Near Bara Jyotirling Mandir, Ranpise Nagar, Akola through its Executive member Dr. Abhay Kashinath Patil residence of Akola city, Tq, Dist. Akola (Maharashtra).

And

Party no. 2 ICON Hospital, Kedia Plot , Umari road ,Akola thourgh: Dr. Rajesh Kate, the Managing Director .

WHEREAS the party no. 1 is Icon Hospital, running the multispecialty hospital in Akola. As per Mumbai Nursing Home Act, the hospital is 120 bedded and maintains 70% or more bed occupancy. All the students of party no. 1 can do clinical practice whenever necessary according to their curriculum and rotation plan during the time period between 22/08/2025 to 21/08/2026 according the terms and conditions were settle between the parties.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

कनक प्रतिष्ठान प्रसारक (अ.प्र. ४)

मुद्रांक विद्या वेणुनाथ वीर वीर

2025 18 21/08/25

मुद्रांक विद्या वेणुनाथ वीर वीर

आ.प्र. 1116 दिनांक: 14-08-25

मुद्रांक विद्या वेणुनाथ वीर वीर

35/2001

THE PARTY NO. 1 AND THE PARTY NO. 2 AGREE AS UNDER

The party no. 1 submit the training program for the B.Sc Nursing, General Nursing & Midwifery, Post Basic B.Sc Nursing & M.Sc Nursing courses from as per syllabus of Nursing council or its competent authority to party no. 2.


1. The ICON Hospital affiliated and act as a parent hospital for the Nursing college of Shree Samartha Shikshan Va Krida Prasarak Mandal Akola.
2. The party no. 1 shall submit the list of nursing students eligible for nursing training program to party no. 2
3. The Party no. 1 shall appoint B.Sc. Nursing Teacher for the supervision of the trainee of nursing students.
4. Party no. 2 shall provide necessary practical training as per the syllabus to students referred by party no. 1
5. Party no. 1 undertake that the students so referred shall be well groomed and shall behave properly with the staff of party no.1 in case party no. 2 noticed any misbehavior from any trainee students, in such case party no. 1 agree for discontinuation of trainee of such students immediately.
6. Party no 2 shall not be responsible for payment of any damages of the students in case of any mishap or accidents/untoward accidents caused due to the negligence or misconduct by the students referred during the clinical practice of training and party no. 1 shall indemnify party no. 2 in respect of the same.
7. Party no. 1 makes sure to party no. 2 that after successful completion of their student's course they have compulsory internship in Icon hospital for the period of Six Months.
8. The agreement shall come into force for the period 22.08.2025 to 21.08.2026. The terms of the present agreement shall be for the single academic year from the date of agreement. Upon expiration of the said agreement shall automatically come to an end.
9. If a dispute arises between the parties to this agreement concerning matters covered by this agreement or incidental there to, the same shall be referred to the soul arbitrator appointed by consent of both the parties and the arbitrator shall decide the dispute as per the provision of arbitration and the conciliation act.

Place : Akola


Date : 29/10/25

Authorised Signatory
President

Shri Samartha Shikshan Va Krida
Prasarak Mandal's Akola
President
Shree Samartha Shikshan
Va Krida Prasarak Mandal
Ranpise Nagar, AKOLA.
Reg. No. 946



Authorised Signatory
Icon Hospital Akola



Attested
Before me



Shrikant V. Kankekar
NOTARY
GOVT. OF INDIA
V.H.B. Colony, AKOLA

Each Executant has been identified by

Shri. Sudhakar Bhatle

Know to me the execution is to my

Satisfaction M. Arora

29/10/25 Page No-2

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps0@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/L.S.I

Date: 23/06/2025

No:- Format1.0/PSO/UAN No.0000241753/CO/2506002264

To,
Icon Hospital (A unit of Akola Life Support Pvt. Ltd.)
,Kedia Plots, Umri Road, Akola
-444005
Email:iconakola@rediffmail.com
Contact No.:8805811890




Your Service is Our Duty

Combined Consent to Establish and Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000241753 dated 06.05.2025
 2. Report of SRO, MPCB, Akola dated 21.05.2025
 3. SCN for Refusal issued on 17.06.2025
 4. Documents uploade on 20.06.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant of Combined Consent to Establish, Operate and BMW-Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This Consent to Establish and Consent to operate shall be in force for a period From 04-06-2025 To 04-06-2027
2. HCF Area : - Plot Area 1886.17 M² with Built-up area 1414.62 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 213 valid upto 31-12-2024)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 34 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	0

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

Principal
Samarth Nursing College
Ranpise Nagar, Akola.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. You shall submit the bank guarantee of INR 1.25 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract 12% interest on BG

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ranpise

Generated by Maharashtra
 9balcfc9
 c4ae6b73
 7e36efab
 b4659b76
 bd159072
 3bd8d806
 4b244416
 a7da9762

Signed by: Dr. Vishwajeet Ramesh Thakur
 Principal Scientific Officer
 For and on behalf of
 Maharashtra Pollution Control Board
 pso@mpcb.gov.in
 2025-06-23 14:30:52 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-33797	06/05/2025	NEFT

Earlier remaining fee with Board was Rs. 1,50,000/- as per earlier CCA. Now submitted fee of Rs. 75,000/- . For the said C to E and one term C to O fee untiled is Re. 30,000/- . Hence, the remaining fee with Board is Rs. 1,95,000/- which shall be considered for further renewal of CCA.

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Akola
- You shall ensure BG compliance
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Ranpise
 Principal
 Samarth Nursing College,
 Ranpise Nagar, Akola.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	28.00
3.	Pathology Laboratory, Floor washing, Operation Theater	6.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	24	As per clause 'C'	100% Recycle
2	Trade effluent	3	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


Principal
Samarth Nursing College
Ranpise Nagar, Akola.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 220 KVA	Diesel	25.00 Ltr/Hr	2.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	180.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	420.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	350.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	180.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Metallic body implants	0.00		

Principal
Samerth Nursing College
Ranpise Nagar, Akola.

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

Bank Guarantees


1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
2	Performance		
1	To upgrade / install STP of adequate capacity	Three	50,000.00
Total			1,25,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.


If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


 Principal
 Samarth Nursing Colleg
 Ranpise Nagar, Akola.

General Conditions

The following general conditions shall apply:-


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Principal
Samarth Nursing College
Ranpise Nagar, Akola.



गुणवत्तापूर्ण उपचार
सुनिश्चित रक्षणसेवा



Akola Life Support Pvt. Ltd.

ICON
HOSPITAL

AKOLA (MAHARASHTRA)

A Multispeciality Tertiary Care Centre

HOSPITAL: GENERAL INFORMATION

Sr. No.	Particulars	
1.	Name Of Healthcare Unit	ICON HOSPITAL
2.	Type Of Healthcare Unit	A Multispeciality Tertiary Care Centre
3.	Address Of Healthcare Unit	Kediya Plot, Umri Road, Akola
4.	City, State	Akola, Maharashtra
5.	Pin Code	444005
6.	Source Of Connectivity	Ph. 0724-2411263, 2411164. Mob. 9527440055
7.	Email-id	iconakola@rediffmail.com
8.	Website	www.iconhospitalakola.com
9.	Registration No. Of Bombay Nursing Act.	213/2011
10.	Year Of Establishment	15 Jan-2012

Principal
Samarth N. ...
Ranjit ...



Shamudra

📍 Kedia Plots, Umari Road, Akola - 444001
☎ 0724 : 2411263, 2411164, Mo. 9527440055

✉ e-mail : iconakola@rediffmail.com
🌐 www.iconhospitalakola.com



गुणवत्तापूर्ण उपचार
सुशिक्षित स्टाफसेवा



Akola Life Support Pvt. Ltd.

ICON
HOSPITAL


AKOLA (MAHARASHTRA)

A Multispeciality Tertiary Care Centre

BED DISTRIBUTION OF ICON HOSPITAL

SN	DEPARTMENTS	WARDS	ICU
1	MEDICINE	15	15
2	ORTHOPEDICS	10	5
3	NEUROLOGY/ SURGERY	7	10
4	GENERAL SURGERY	7	10
5	CARDIOLOGY	10	20
6	NEPHROLOGY	6	5

[Handwritten Signature]





गुणवत्तापूर्ण उपचार
सुदक्षित सज्जसेवा



Akola Life Support Pvt. Ltd.

ICON
HOSPITAL

AKOLA (MAHARASHTRA)

A Multispeciality Tertiary Care Centre

HOSPITAL : AVAILABLE OTHER SERVICES

Sr. No.	Particulars
1.	24 x 7 In-house Pharmacy
2.	24 x 7 In-house Ambulance Services (Three Cardiac & 3 Local Ambulance Central Oxygen Supply & Central Suction.
3.	Boiler / Sterilizers with CSSD
4.	Housekeeping
5.	Laundry Facilities
6.	Security Services
7.	Ramp Facility With Separate Lift for Patients, Relatives & Doctors.
8.	Water Purification Plant
9.	Fire Control System
10.	Waste Disposal System
11.	Ample Parking Facilities.
12.	Special 30 Bed For ICU Relative For Rest & Ample Area (50 x 40 Feet) For
13.	Other Relative.

Samarth V. College
Ranjana Na. Akola



S. Prasad

📍 Kedia Plots, Umari Road, Akola - 444001
☎ 0724 : 2411263, 2411164, Mo. 9527440055

✉ e-mail : iconakola@rediffmail.com
🌐 www.iconhospitalakola.com



गुणवत्तापूर्ण उपचार
सुरक्षित रक्षणसेवा



Akola Life Support Pvt. Ltd.

ICON
HOSPITAL

AKOLA (MAHARASHTRA)

A Multispeciality Tertiary Care Centre

HOSPITAL : 24 x 7 Hrs. AVAILABLE DIAGNOSTIC SERVICES

Sr. No.	Particulars
1.	2D –ECHO, Tread Mill Test, EEG,EMG
2.	In-house Radiology (Digital & Portable X-Ray, USG, Color Doppler), PFT/
3.	Spirometry
4.	In-house Multi Slice (Dual) CT-Scan, MRI(1.5 T) Unit
5.	In-house Pathology With Biochemistry, Hematology, Histopathology &
6.	Separate Microbiology Unit

(Handwritten signature)

Saman
Ranjise



(Handwritten signature)

📍 Kedia Plots, Umari Road, Akola - 444001
☎ 0724 : 2411263, 2411164, Mo. 9527440055

✉ e-mail : iconakola@rediffmail.com
🌐 www.iconhospitalakola.com



गुणवत्तापूर्ण उपचार
सुरक्षित सज्जसेवा



Akola Life Support Pvt. Ltd.


ICON
HOSPITAL

AKOLA (MAHARASHTRA)

A Multispeciality Tertiary Care Centre

HOSPITAL : 24 x 7 Hrs. AVAILABLE SERVICES

Sr. No.	Particulars
1.	24 x 7 Hrs Emergency Services
2.	Emergency Room With Separate O.T. Services
3.	Casualty
4.	Medico legal Cases
5.	Cath.lab. & Thoracic Surgery
6.	Medical Intensive Care Unit
7.	Surgical Intensive Care Unit
8.	Neonatal Intensive Care Unit
9.	Burn Ward
10.	Neurology
11.	Orthopedic
12.	Nephrology
13.	Urology
14.	Gastroenterology
15.	Endoscopy Surgery
16.	Laparoscopy Surgery
17.	Plastic Surgery
18.	General Surgery
19.	Ophthalmology
20.	ENT
21.	Dialysis
22.	Physiotherapy
23.	24 x 7 Own Ambulance Services With Cardiac Ambulances.
24.	Canteen
25.	Computerized Record Room



Signature
10/03/26

📍 Kedia Plots, Umari Road, Akola - 444001

☎ 0724 : 2411263, 2411164, Mo. 9527440055

✉ e-mail : iconakola@rediffmail.com

🌐 www.iconhospitalakola.com

Principal
Savitri Nursing College
Rajwade Nagar, Akola

PROPOSED SECOND FLOOR PLAN

PROPOSED SECOND FLOOR PLAN

DATE

cape design



THIS PLAN IS THE PROPERTY OF CAPE DESIGN AND IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF CAPE DESIGN. ANY UNAUTHORIZED REPRODUCTION OR COPIING IS STRICTLY PROHIBITED AND WILL BE PROSECUTED TO THE FULL EXTENT OF THE LAW.

NO.	DESCRIPTION	DATE
1	ISSUED FOR PERMITTING	11/11/11
2	ISSUED FOR PERMITTING	11/11/11
3	ISSUED FOR PERMITTING	11/11/11
4	ISSUED FOR PERMITTING	11/11/11
5	ISSUED FOR PERMITTING	11/11/11
6	ISSUED FOR PERMITTING	11/11/11
7	ISSUED FOR PERMITTING	11/11/11
8	ISSUED FOR PERMITTING	11/11/11
9	ISSUED FOR PERMITTING	11/11/11
10	ISSUED FOR PERMITTING	11/11/11


Prepared by: *[Signature]*
 Checked by: *[Signature]*
 Date: 11/11/11





11/11/11

8


PROP BASEMENT FLOOR PLAN



PROP. GROUND FLOOR PLAN



cape design



NOTES:
 1. ALL DIMENSIONS ARE IN METERS.
 2. ALL WALLS ARE 200mm THICK UNLESS OTHERWISE SPECIFIED.
 3. ALL FLOORS ARE 100mm THICK UNLESS OTHERWISE SPECIFIED.
 4. ALL ROOFS ARE 100mm THICK UNLESS OTHERWISE SPECIFIED.
 5. ALL CEILING ARE 100mm THICK UNLESS OTHERWISE SPECIFIED.
 6. ALL DOORS ARE 2100mm HIGH AND 900mm WIDE UNLESS OTHERWISE SPECIFIED.
 7. ALL WINDOWS ARE 2100mm HIGH AND 1200mm WIDE UNLESS OTHERWISE SPECIFIED.
 8. ALL STAIRS ARE 1000mm WIDE UNLESS OTHERWISE SPECIFIED.
 9. ALL ELEVATIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED.
 10. ALL SECTIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED.
 11. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED.
 12. ALL WALLS ARE TO BE FINISHED WITH PLASTER AND PAINT.
 13. ALL FLOORS ARE TO BE FINISHED WITH POLISHED CONCRETE.
 14. ALL ROOFS ARE TO BE FINISHED WITH POLISHED CONCRETE.
 15. ALL CEILING ARE TO BE FINISHED WITH PLASTER AND PAINT.
 16. ALL DOORS ARE TO BE FINISHED WITH POLISHED WOOD.
 17. ALL WINDOWS ARE TO BE FINISHED WITH POLISHED WOOD.
 18. ALL STAIRS ARE TO BE FINISHED WITH POLISHED WOOD.
 19. ALL ELEVATIONS ARE TO BE FINISHED WITH PLASTER AND PAINT.
 20. ALL SECTIONS ARE TO BE FINISHED WITH PLASTER AND PAINT.
 21. ALL DIMENSIONS ARE TO FACE UNLESS OTHERWISE SPECIFIED.

DATE: 15/05/2024
 DRAWN BY: [Name]
 CHECKED BY: [Name]
 APPROVED BY: [Name]

PROJECT: [Project Name]
 CLIENT: [Client Name]
 ADDRESS: [Address]
 CONTACT: [Contact Info]

Professional Engineer's Stamp and Signature:
 [Stamp: Cape Design Engineering & Architecture, No. 12345, Cape Town, South Africa]
 [Signature: [Name]]
 [Date: 15/05/2024]

आरोग्य विभाग जिल्हा परिषद अकोला

फार्म 'सी'
नियम "५" पहा

दि मुंबई नर्सिंग होमस् अॅक्ट १९४९ चे नियम - ५ नुसार

- नोंदणीचा दाखला -

नोंदणी क्रमांक : 34/2024

दाखला देण्यात येते की, श्री/श्रीमती विनीत काठे, अस्थायी श्री समर्थ शिक्षण व
स्त्री प्रसारक मंडळ, अकोला यांचे दि मुंबई नर्सिंग होमस् रजिस्ट्रेशन अॅक्ट १९४९ चे
नुसार श्री समर्थ मालीमेशालीची हॉस्पिटल मॅडरिक्स सोल्यूशन्स (नर्सिंग होमचे नांव)
जे रीडोरा ना बाळापूर जि अकोला ह्या ठिकाणी भाड्याने/बांधलेले आहे त्यांना
वरील प्रमाणे दर्शविल्या नुसार नर्सिंग होमस् चालविण्याची परवानगी देण्यात येत आहे.

○ महाराष्ट्र मेडिकल प्रॅक्टीशनर

अॅक्ट १९६१ नुसार

नोंदणी क्रमांक 074573

दिनांक 16/07/1994

○ दाखला दिल्याची दिनांक ११/०७/२०२४

हा नोंदणीचा दाखला दिनांक ११ जुलै २०२४ ते दिनांक ३१ मार्च २०२७
पर्यंत प्रमाणीत राहिल.

टिप - या कायदामाचे पत्र ५/३०२४/२०२४
दि ११/७/२०२४ ला अखिल राहिल.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

नोंदणी अधिकारी
तथा
जिल्हा आरोग्य अधिकारी
अखिल भारतीय आरोग्य विभाग अकोला

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

Date: 01/01/2026

No:- Format1.0/PSO/UAN No.0000245113/CO/2505000566

To,
Shree Samartha Multispeciality Hospital & Research
Centre,
Shree Samartha Shikshan Va Krida Prasarak Mandal
Akola,
In Front of Annapurna Mata Mandir, NH - 06, Ridhora,
Balapur, Dist - Akola - 444302
Email: ssamc0516@gmail.com
Contact No.:8180869555



Your Service is Our Duty

Combined Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:** 1. 2. Earlier, combined Consent to 1st Operate & BMW Authorization (CCA) is granted by the Board vide no. Format1.0/PSO/UAN No.0000210717/CO/2408001237 on 13.08.2024 valid upto 05/04/2025
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 28/04/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-01-2026 To 01-01-2027**
2. HCF Area : - Plot Area 8307.28 M² with Built-up area 4036.53 M².
3. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. I64825A valid upto 31-03-2027)
4. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 36 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	Biological Sludge	As per Actual	Kg/Annum	Local body

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.

10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited to conduct any laundry operation within the hospital premises.
17. This CCA consent is issued after receiving Penal charges of Rs. 1,418/- for delay in submission of CCA application as per Boards circular dtd. 04/02/2022.
18. This CCA consent is issued after receipt of 12% penal interest on the Bank Guarantee of Rs. 3.0 Lakh, Calculated as Rs. 22,685/- (Payment received).
19. You shall submit the Bank Guarantee of Rs. 1.00 Lakh towards installation of combine STP/ETP for treatment of wastewater generation within Three months period from the issuance of CCA.
20. You shall extend/submit the bank guarantee of Rs. 2.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within within 15 days. Non submission of B.G. in a specified time shall attract 12% penal interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



c3766247
ee1a6ff6
51b1157a
a06f1f8a
b1dd9439
43e00725
3ccd129c
b23f9d5b

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-05-05 15:45:37 IST


Received Consent/Authorization fee of -


Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2504006018	28/12/2025	Online Payment

HCE has paid CCA fees of Rs. 45,000/- from which Rs. 22,685/- is utilized towards 12% penal interest on BG & Rs. 1,418/- is utilized towards penal charges for delay in submission of application. The remaining balance fees of Rs. 5,897/- will be adjusted at the time of next CCA Renewal.

Copy to:

1. Regional Officer, MPCB, Amravati and Sub-Regional Officer, MPCB, Akola
 - Regional Officer, MPCB Amravati is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
 - SRO - Akola is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.




Principal
Samartha Nursing College,
Karnate Nagar, Akola.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	35.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	30.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in local Sewer Line
2	Trade effluent	0.8	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (250 KVA)	Diesel	5.00 Lit/Day	5.00


2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 Principal
 Samarth Nursing College
 Ranpise, Akola, M.S.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	3.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	2.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	30.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	5.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
4	Blue	a) Glassware	5.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana Buldhana
		b) Metallic body implants	0.00		


 Principal
Samarth Nursing College,
 Ranpise Nagar, Akola.

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **M/s. Wise Ecocare & Farmtech Pvt. Ltd, Buldhana** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Principal
Samarth Nursing College,
Ranjise Nagar, Akola.

SCHEDULE-III**Bank Guarantees**


1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
2	Performance		
1	To provide STP & ETP facility with adequate capacity as per guidelines of CPCB	Six months	100,000.00
Total			2,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.


General Conditions


The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Principal
Samarth Nursing College,
Ranpise Nagar, Akola.



**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)**

Form-F

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - **Dr. Shrikant Deshmukh**

Address: - **Manas Clinic's Baba Punarvasan Kendra Congress Nagar Jogalekar
Plot Amravati**


No of beds: - **100**

Permanent Registration Certificate No.**77/2023**


The Permanent registration certificate No.**77/2023** issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: /01/2024


Registration Authority
(MSMHA)

Seal of the Registration Authority



Principal
Samarth Nursing College,
Ranpise Nagar, Akola.



महाराष्ट्र MAHARASHTRA

2025

43AB 287889



MEMORANDUM OF UNDERSTANDING (Revise)

This Memorandum of Understanding is made on 18/06/2025 to 18/06/2028
(3 Years).

Shree Samarth Shikshan Va Krīda Prasarak Mandal, Akola represented by the Treasurer of the

FIRST PART

AND


Manas Clinic of Rukhamini Nagar, Amravati – 444601 which is represented by Main Trustee
Dr. Shrikant Deshmukh

Manas Hospital, Amravati of the SECOND PART

PURPOSE OF MOU

1. According to Indian Nursing Council Norms, If any member of the parent society has hospital in other society then in that case it can be consider that parent society is having their own hospital.
2. Second Part of this MOU is having 100 bedded hospital at Amravati, namely Manas Hospital, Amravati. The Hospital is registered under the relevant provisional of law.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.



Shri Samarth Nursing (B.S.C) College, Akola

3. First part of this MOU is run by the society namely Shree Samarth Shikshan Va Krida Prasarak Mandal, Akola. Mr. Nitin Bhaskarrao Bathe is President of the society.
4. Therefore, As per point No. 1 Manas Hospital, Amravati can be consider/ treated as their own hospital of Shree Samarth Shikshan Va Krida.Prasarak Mandal, Akola.

NOW THE PARTIES HERE TO AGREE AS FOLLOWS:-

1. The Hospital during the period of B.Sc (N), PBBSc (N) & GNM (N) Courses permitted to issue permission Shree Samarth Shikshan Va Krida.Prasarak Mandal, Akola.
2. If any kind of damage is done then it is all together responsibility of the Nursing College.
3. It is the duty of Nursing School to provide necessary facilities and appoint faculty as required as per Indian Nursing Council norms.
4. If any of the condition is breached by the Nursing College & School, the first part has exclusive power to terminate this MOU. *Duration of MOU - 3y.*

DURATION OF MEMORANDUM OF UNDERSTANDING

1. The MOU will remain in force till B.Sc (N), PBBSc (N) & GNM (N) Education course Affiliated by MUHS /MSBNPE.

IN WITNESS WHEREOF the parties hereto have signed and delivered this MOU on the _____ in presence of

WITNESS No. 1

President

Shree Samarth Shikshan
Va Krida Prasarak Mandal,

Akola

Shri Samarth Shikshan
Va Krida Prasarak Mandal,
AKOLA-444 801 (M. S.)

WITNESS NO. 2

Dr. Shrikant Deshmukh,
Manas Hospital, Amravati
Represented by Main Trestee

Dr. Shrikant Deshmukh

Reg.No.36104 MDDPM (Mumbai)

PSYCHIATRIST

Regd. Plot, Convent Nagar Road,
AMRAVATI (M.S.)

Principal

Samarth Nursing College,
Ranpise Naga

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/S.S.I

Date: 04/10/2024

No:- Format1.0/SRO/UAN No.0000215294/CO/2410000350

To,
Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email:drshrikant.deshmukh@gmail.com
Contact No.:9823046036



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000215294 dated 11/07/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **30-06-2024 To 30-06-2026**
2. The capital investment of the HCF is **₹322.90** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M² with Built-up area 3000.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100Nos.** (As per BNH certificate no. 288 valid upto 31-03-2026)
 - I. General Beds :**70Nos**
 - II. Other Beds :**30Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.15 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Sushilkumar Rathod

a8c10337
cce2e82f
81ed468a
7c1b798d
b51d588e
5995fad9
3e951c09
3e80dbe4

Signed by: Mr. Sushilkumar Rathod
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroamravati@mpcb.gov.in
2024-10-04 11:33:46 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	15000.00	TXN2407002005	11/07/2024	Online Payment
2	226.00	TXN2409001278	10/09/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati for information.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.5	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Principal
Samarth Nursing College
Ranpise Nagar, Akola

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
----------------	--------------------------	------------------	-----------------	---------------------------


2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

4. Conditions for D.G. Set:-

- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
- b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
- c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
- d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
- e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
- f. D.G. Set shall be operated only in case of power failure.
- g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	5.50		
		e) Chemical Waste	8.50		
		f) Chemical Liquid Waste	20.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	2.50	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

SCHEDULE-II**Responsibilities of HCF**


1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.

2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Provision of STP/ETP to achieve prescribed discharge standards	6 Months	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,15,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

SCHEDULE-IV


General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.

Principal
Samarth Nursing
Ranpise Nagar, A

5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.  Principal

Samarth Nursing College,
Ranpise Nagar, Akola.

Classification of Beds

Manas Psychiatric Hospital, Amravati

Sr. No	Beds	No. of Sanction Beds	Occupancy
1	Medical	NA	NA
2	Surgical	NA	NA
3	Orthopedic	NA	NA
4	O.B.G.Y	NA	NA
5	Ophthalmic	NA	NA
6	E.N.T.	NA	NA
7	Pediatric	NA	NA
8	Psychiatric	40%	90%
9	Skin	NA	NA
10	Infectious Diseases	NA	NA
11	Nephrology	NA	NA
12	Urology	NA	NA
13	Neurology	NA	NA
14	Oncology	NA	NA
15	Casualty / Emergency	NA	NA
16	O.P.D.	NA	NA

Reg No:- 018



**Certificate of Registration Under Section 5 of
Maharashtra (Bombay)
Nursing Home Registration Act. 1949**

New Registration / Renewal

This is to certify that Dr. Abhay K. patil, Dr. Rekha patil
MBBS, D'Ortho, FCPS. MBBS, MD (Gyn)
has been Registered under the Bombay Nursing Home Registration


Act. 1949 in respect of "Dr. K.S. Patil Hospital & polyclinic" Akola.
Behind LIC office, Shrawaji plot, Akola
and has been authorized to carry on the said Nursing Home.

Registration No. : 67560, 2018, 73534, 28/02/2022
No. of Beds : 30
1) For Maternity : 07
2) Other Nursing Patients : 23
Total Number of Beds : 30
Date of Issue of Certificate : 27/12/2024 | 09/07/2025

This Certificate of Registration shall be valid upto 31 Dec. 2027



Dated : 09/07/2025


DR. Ashish S. Girhe 9/7/2025
Medical Officer of Health
Akola Municipal Corporation
Medical Officer of Health
Akola Municipal Corporation
Akola


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.



महाराष्ट्र MAHARASHTRA

2022

13 JUL 2023 DAA 61502



Memorandum of Understanding

Affiliated Hospital

The management of (here in after referred to as Samarth Nursing College) through their Authorized Chairman Prof. Nitin Bhaskarrao Bathe, of Shree Samarth Shikshan Va Krida Prasarak Mandal, Akola (Nursing college on one part)

AND

The Management of Dr. Sujay Subhash Patil (here in after referred to as Dr. Sujay Subhash Patil which bed capacity is 14 through the President Dr. Sujay Subhash Patil, hereby mutually execute an agreement which reads as under.

THAT

Samarth Nursing B.Sc College Akola affiliated to Maharashtra University of Health Sciences Nashik. Since 2015 Year. As a part of the curriculum prescribed by Indian Nursing Council, New Delhi, Nursing students need to be utilize the facilities of the hospital for the clinical practice. The Dr. Sujay Subhash Patil Hospital (14 bedded) will grant permission for clinical practice to the nursing students of B.Sc, Post Basic B.Sc, GNM and M.Sc Nursing of the said college in the discipline "Psychiatric" and it is affiliated for the Five Years.

thereby, by the mutual execute agreement renewed from 01/03/2023 to onwards for the next Five Year.

Patil

Dr. SUJAY PATIL
M.B.B.S., D.P.M.
Consultant Psychiatrist
Reg. No. 74573

Principal

Samarth Nursing College,
Ranpise Nagar, Akola.

Patil

Patil

President
Shree Samartha Shikshan
Va Krida Prasarak Mandal
Ranpise Nagar, AKOLA.
Reg. No. 946

प्रीतिपत्र - १

महाराष्ट्र अधिवक्तापदी (अनुबंध-२)

अधिकारिता असलेल्या ठिकाण कोठारापासून

सुधारण करिता अधिवक्तापदी वरत व अधिवक्तापदी वरत

सुधारण करिता अधिवक्तापदी -

सुधारण करिता अधिवक्तापदी -

28574

4111022

Anil R. Bakade

S.V. Lic. No. 28/94, Akola

सुधारण करिता अधिवक्तापदी वरत

Dr. SUJAY PATIL

M.B.B.S., D.M.

Consultant Psychiatrist

Reg. No. 74573

PATIL HOSPITAL, AKOLA

ESOS JUL 6 1

Armed Negotiator



3725 / 2023

Date: 13/7/23

For attesting the document

And attested that the document contains


Page

LISHA JITENDRA LADDHA

ADVOCATE & NOTARY

Appointed By Government of India

AKOLA DIST. MAHARASHTRA



Principal

Samarth Nursing College

Ranpise Nagar, Akola.

Dr. SUJAY PATIL

M.B.B.S., D.M.

Consultant Psychiatrist

Reg. No. 74573

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563594,
0721-2563592
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email: roamravati@mpcb.gov.in



Maharashtra Pollution
Control Board Sahkar
Surbhi Bapatwadi, Near
Vivekanand Colony,
Amravati-444606

ORANGE/

Date: 22/08/2024

No:- Format1.0/RO/UAN No.0000217346/CO/2408001988

To,
K. S PATIL HOSPITAL & POLYCLINIC
Behind LIC Office, Shrawagi Plot Akola, Akola (Municipal
Corporation.), Akola
Tq. & Dist. Akola.
Email: abhaykpatil3@gmail.com
Contact No.: 9881712111




Combined Consent to Establish & 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.MPCB-CONSENT-0000217346& BMW Auth No.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 01/08/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.


1. This CCA shall be in force for a period From **08-06-2023** To **31-03-2027**


Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

Classification of Beds

K.S. Patil Hospital, Akola

Sr. No	Beds	No. of Sanction Beds	Occupancy
1	Medical	NA	NA
2	Surgical	NA	NA
3	Orthopedic	NA	NA
4	O.B.G.Y	20	85-90%
5	Ophthalmic	NA	NA
6	E.N.T.	NA	NA
7	Pediatric	NA	NA
8	Psychiatric	NA	NA
9	Skin	NA	NA
10	Infectious Diseases	NA	NA
11	Nephrology	NA	NA
12	Urology	NA	NA
13	Neurology	NA	NA
14	Oncology	NA	NA
15	Casualty / Emergency	NA	NA
16	O.P.D.	NA	NA



अकोला महानगर पालिका, अकोला

फार्म "सि"

नियम "५"

दि. मुंबई नर्सिंग होमस् अॅक्ट १९४९ चे नियम - नुसार

नोंदणीचा दाखला

नोंदणी क्रमांक : ०४१

दाखला देण्यात येते की, श्री/श्रीमती डॉ. सुजत्र सुभाष पाटील
M.B.B.S. D.P.M.

यांचे दि. मुंबई होमस् रजिस्ट्रेशन अॅक्ट १९४९ चे

नुसार " पाटील हॉस्पिटल " अकोला (नर्सिंग होमचे नांव)

जे अमानखा फ्लॉट, अकोला ह्या ठिकाणी बांधलेले आहे त्यांना वरील

प्रमाणे दर्शविल्यानुसार नर्सिंग होमस् चालविण्याची परवानगी देण्यात येत आहे.

15 वेड

* महाराष्ट्र मेडिकल प्रॅक्टीशनर

अॅक्ट १९६९ नुसार

नोंदणी क्रमांक : ०७४५७३

दिनांक : 16th JULY 1994

* दाखला दिल्याची दिनांक : ०५/०४/२०२३

हा नोंदणीचा दाखला दिनांक

२०२३ ते दिनांक ३१ डिसे. २०२५

पर्यंत प्रामाणिक राहिल.



Principal

Samarth Nursing College,
Ranpise Nagar, Akola.

बैद्यकीय आरोग्य अधिकारी

महानगरपालिकाधिकारी


तथा

बैद्यकीय आरोग्य अधिकारी,

अकोला महानगर पालिका, अकोला



महाराष्ट्र MAHARASHTRA



UNDERTAKING
(Affiliated Hospital)





I, Dr. Sau. Rekha Abhay Patil, residence of Akola city, Tq & Dist. Akola (Maharashtra) Being the Owner Dr. K.S. PATIL, HOSPITAL, POLICLINIC & MATERNITY HOSPITAL, AKOLA Regi.No. 073534 which bed capacity of 20 beds for OBGY. Its bed occupancy is above 75%. As mention the above hospital continue to functions as a 'Affiliated Hospital' for Five Years for the Samarth Nursing College, Akola Courses of B.Sc (N), PBBSC (N), GNM(N) and M.Sc (N) of Shree Samartha Shikshan Va Krida Prasarak Mandal, Akola. Aforesaid period will be extended by mutual understanding of both parties.

Thereby the mutual execute agreement renewed from 01/04/2022 to onwards for the next five years.

I also state that the above mention hospital would not allowed to be treated as affiliated Parent Hospital to any other Nursing Institute.

Date :
Place : Akola


Principal
Shree Samartha Shikshan
Va Krida Prasarak Mandal
Ranise Nagar, AKOLA.


Signature
(Dr.Sau. Rekha Abhay Patil)
Dr. Sau. Rekha A. Patil
Read. Dr. K.S. Patil
Principal
Samarth Nursing College,
Ranise Nagar, Akola.

पत्रिका - १



पत्रिका - १	संख्या - २८८७४
पत्रिकाधारक कोणाकरांचे नाव व पत्ता	
पत्रिका विकत घेणाऱ्याचे नाव व पत्ता	
पत्रिका विकत घेण्याची किंमत -	५११/०२२
पत्रिका विकत घेणाऱ्याचे नाव व पत्ता	

११/७/२१

Anil R. Sakade
S.V. Lic. No. 18/98, Akola

Dr. Mrs. Rekha S. Patil
M.B. (O.B. & Gene.)
Rand No. ०१११११



Anil Sakade
3725/2023
Date: 13/07/2023
for attesting the document
And attested that the document contains 02 Pages
Rekha

LISHA JITENDRA LADDHA
ADVOCATE & NOTARY
Appointed By Government of India
AKOLA DIST. MAHARASHTRA



Principal

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: (0724)- 2402344, 2402992
Fax: 0724-2452344/2459992
Website: <http://mpcb.gov.in>
Email: sroakola@mpcb.gov.in



Sub-Regional Office, M.P.C.
Board, Alsi Plot, Opp.
Hutatma Smarak, Nehru
Park Chowk, Akola-444001

GREEN/S.S.I

No:- Format1.0/SRO/UAN No.0000256330/CO/2510001158

Date: 14/10/2025

To,

M/s. Patil Hospital

Amankhan Plot, Near Civil Line Chowk, Akola,

Ta. Dist. Akola -444001

Email:ngnareshpatil@gmail.com

Contact No.:9850810319



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization vide no.MPCB-CONSENT-0000256330 dated 20/08/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-05-2023 To 30-04-2029**

2. HCF Area - Plot Area 281.20 M² with Built-up area 281.20 M².

Activities Included

a. Total Number of Beds : **15 Nos.** (As per BNH certificate no. 41 valid upto 31-12-2025)

i. General Beds : **15 Nos**

Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.



अकोला महानगर पालिका, अकोला

फार्म "सि"
नियम "५"

दि.मुंबई नर्सिंग होमस् अॅक्ट १९४९ चे नियम - नुसार

नोंदणीचा दाखला

नोंदणी क्रमांक : 229

दाखला देण्यात येते की, श्री/श्रीमती ~~डा. अजयसिंग विजयसिंग चव्हाण~~

~~MBBS, DNB, FMAS, FIAGES~~
~~MNAMS, MS, (Sychelles)~~

यांचे दि मुंबई होमस् रजिस्ट्रेशन अॅक्ट १९४९ चे

नुसार ~~"प्रताप हॉस्पिटल" अकोला~~ (नर्सिंग होमचे नांव)

जे ~~ऑर्किट हॉस्पिटल जावळ, रामनगर~~ ह्या ठिकाणी बांधलेले आहे त्यांना वरील

प्रमाणे दर्शविल्यानुसार नर्सिंग होमस् चालविण्याची परवानगी देण्यात येत आहे.

* महाराष्ट्र मेडिकल प्रॅक्टीशनर

अॅक्ट १९६१ नुसार

नोंदणी क्रमांक : 2004/09/3478

दिनांक : 24 SEP. 2004

मंजूर खाटा (50)

* दाखला दिल्याची दिनांक : 18/04/2022

हा नोंदणीचा दाखला दिनांक १ एप्रिल 2022 ते दिनांक ३१ मार्च 2025 पर्यंत प्रमाणीत राहिल.



Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

हॉ. पारश्रम शिंदे

नोंदणी अधिकारी

तथा


वैद्यकीय आरोग्य अधिकारी,
अकोला महानगर पालिका, अकोला



महाराष्ट्र MAHARASHTRA

2023

88AA 062810



Memorandum of Understanding

Affiliated Hospital

The Management of (Samarth Nursing College) through their Authorized Chairman Prof. Nitin Bhaskarrao Bathe, of Shree Samarth Shikshan Va Krida Prasarak Mandal, Akola.

AND

The Management of Dr. Ajay Sing Vijay Sing Chavhan (Pratap Hospital Akola Near ORBIT Hospital Ram Nagar Akola)(Her in aftreferred to as Dr. Ajay Sing Vijay Sing Chavhan Multi Specialty Hospital the President Dr. Ajay Sing Vijay Sing Chavhan, Hereby mutually execute an agreement which reads as under.

THAT

Samarth Nursing College Akola affiliated to Maharashtra University of Health Sciences Nashik. Since 2015 Years. As a part of the curriculum prescribed by Indian Nursing Council, New Delhi. Nursing Students need to be utilize the facilities of the hospital for the clinical practice. The Dr. Ajay Sing Vijay Sing Chavhan Hospital (50 Bedded) will grant permission for clinical practice to the nursing students of B.Sc, Post Basic B.Sc, GNM and M.Sc Nursing of the said college in the discipline "Multispecialty" and it is affiliated for the Five Years.

Thereby, by the mutual execute agreement renewed from 01/03/2024 to onwards for the next

Five Year.

Each Executant has been identified by
I/We...
I know to me the execution is to my
satisfaction.

Attested
Before me

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

(Signature)

President
Shri Samartha Shikshan
Wa Krida Prasarak Mandal,
AKOLA-444001. (M.S.)

(Signature)
NOTARY
GOVT. OF INDIA
AKOLA

2719124

(Signature)

फरत प्रतज्ञापत्रासाठी (अनु. ४)

मुद्रांक विकत घेणाऱ्याचे नांव व पता:

Samy

रा. नं. 35/2001

(अकोला)

मुद्रांक विकत घेतली मॅट नं. २५

२५ = १. २५

अ.क्र. 1822

दिनांक :- 25-9-25

सुधिर व. खडे

मुद्रांक विक्रेता, अकोला

रा. नं. 35/2001

Signature

मुद्रांक विकत घेणाऱ्याची सही

Principal Sam
Samarth Nursing College,
Ranpise Nagar, Akola.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0724-2402344,2402992.

Email : sroakola@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Sub-Regional Office,
"Aisi Plot"

Oppt. Hutatma Smarak,
Nehru Park Chowk,
Akola - 444001.

LETTER OF BIO-MEDICAL WASTE AUTHORISATION [Authorization for Generation, Segregation, Storage of Bio-Medical Wastes under Rule 7(4)]

I. File number of authorization and date of issue

SRO-AKOLA/BMW-AUTH/ 1807000092

Date: 07/07/2018.

II. **M/s. Pratap Hospital** is hereby granted an authorization for generation of biomedical waste on the premises situated at- **Ramdas Peth, Akola.**

III. This authorization shall be in force for a period up to **31/05/2029**. An application shall be made by the occupier/operator for renewal **3 Months** before expiry of earlier authorization.

IV. This authorization is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.

V. No of Beds: **50.**

Terms and Conditions of authorization

1. The authorized Person shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. i) The authorized person shall not rent, lend or sell the biomedical waste or facility.
ii) The authorized person can transfer the BMW generated at above premises to the "Transporter" or "Operator of Facility" authorized by MPCB under Bio-Medical Waste (Management and Handling) Rules, 1998 for collection, transportation, treatment and/or disposal of BMW generated.
4. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.

Principal
Samarth Nursing College,
Rampise Nagar, Akola.

(Page 1 of 4)



5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility.
6. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No.	Category	Quantity	UOM	Treatment & Disposal
1.	Cat-1 Human Anatomical Waste.	3.0	Kg/M	Bio Medical Waste Shall be sent to Common BMW Treatment & Disposal Facility authorized by MPCB.
2.	Cat-2 Animal Waste.	Nil	Kg/M	
3.	Cat-3 Microbiology & Biotechnology Waste.	Nil	Kg/M	
4.	Cat-4 Waste Sharps.	3.0	Kg/M	
5.	Cat-5 Discarded Medicines & Cytotoxic Waste.	1.0	Kg/M	
6.	Cat-6 Solid Waste.	6.0	Kg/M	
7.	Cat-7 Solid Waste	6.0	Kg/M	
8.	Cat-8 Liquid Waste	8.0	Ltr/M	The Liquid Waste shall be disinfection by chemical treatment & discharge into the drainage system provided by local body.
9.	Cat-9 Incineration Ash.	Nil	Kg/M	CHWTSDF Landfill site.
10.	Cat-10 Chemical waste	Nil	Ltr/M	The Chemical Waste shall be disinfection by chemical treatment using at least 1% hypochlorite solution or any other equivalent chemicals reagent & discharge into drains for liquids & secured land fill for solids.

The Liquid / Solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.

(Page 2 of 4)

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

8. (i) BMW shall be treated and disposed of in accordance with Schedule I; and in compliance with the standards prescribed in Schedule V of said Rules.
- (ii) You shall setup requisite BMW treatment facilities like incinerator, autoclave / Microwave, shredder etc., at the disposal side in accordance with the BMW rules. You shall disposed of the duly treated BMW and incineration ash in secured land fill site at your own premises / at MSW secured land fill site of Municipal Council authorized by MPCB and duly earmarked for disposal of treated BMW / at common H.W. treatment & disposal facility setup as per the Hazardous Waste (M & H) Rules, 1989 as amended and authorized by MPCB.
9. (i) BMW shall not be mixed with other wastes or reused, recycled or sold in any form.
- (ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
- (iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and shall be transported by authorized Transporter only.
- (iv) Notwithstanding anything contained in the Motor Vehicles Act, 1988 or Rules there under, BMW shall be transported only in such vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
- (v) No untreated BMW shall be kept stored beyond a period of 48 hours.
- (vi) Occupier shall adopt Sharp Blaster (Needle Blaster) for category no. 4 for Bio-Medical Waste treatment.
10. Medical waste shall not be considered properly treated unless the time, temperature and pressure indicators indicate that the required time, temperature and pressure were reached during the autoclave process. If for any reasons, time temperature or pressure indicates that the required temperature, pressure or residence time was not reached, the entire load of medical waste must be autoclaved again until the proper temperature, pressure and residence time were achieved.
- Every 'Authorized Person' shall submit an Annual Report to the prescribed authority in Form-II by 31st January every year including information about the categories and quantities of BMW handled during the preceding year.
12. (i) Every 'Authorized Person' shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and/or any form of handling of BMW in accordance with these Rules and any guidelines issued.
- (ii) All records shall be subject to inspection and verification by the prescribed authority at any time.

13. When any accident occurs at any institution or facility or any other site where BMW is handled or during transportation of such waste, the authorized person shall report the accident in Form III to the prescribed authority forthwith.
14. The Board reserves the rights to add/amend/revoke any condition in this application and the same shall be binding on the applicant.
15. The Board can refuse/cancel your authorization in case of violation of provisions of BMW Rules -Bio medical waste management.
16. The Occupier will obey all the lawful instructions issued by the Board Officers from time to time.

For and on behalf of the
Maharashtra Pollution Control Board



(Signature)
Y. M. Mehare
I/c. Sub-Regional Officer,
M. P. C. Board, Akola.

To,
Dr. Ajay Singh V Chauhan;
M/s. Pratap Hospital
Ramdas Peth, Akola.

Authorization Fees Received:-

Sr. No.	Amount	Transaction No.	Date
1	3750/-	TXN1805003514	31/05/2018

Copy Submitted to:-

1. Chief Accounts Officer, MPCB Board, Mumbai.
2. Regional Officer (HQ), MPCB, Sion Mumbai.
3. Regional Officer, MPCB, Amaravati.

(Page 4 of 4)

(Signature)
Principal
Samarth Nursing College,
Rannise Nagar, Akola.



आरोग्य सेवा संचालनालय (महाराष्ट्र शासन)

" आरोग्यमयन, सेंट जॉर्ज रुग्णालय आधार, पी.डी. मेलो रोड, मुंबई-४०० ००१

कार्यालय	दूरध्वनी	Website : http://maha-arogyat.gov.in
संचालक कक्ष	२२६२१०३१६३६	Email : dhs_2005@rediffmail.com
सहसंचालक (रुग्णालये राज्यस्तर)	२२६२१००६	Email : jdhs03@gmail.com
	२२६११४७१	Fax No. 022-22621034 / 22620234 (DHS)
आदेश		क्र.संआस/कश-३/ट-१/प्रात्य. अनुभव /परवानगी /प्राचार्य, समर्थ शिक्षण नर्सिंग/२२८४-२३० /२३ दि. २१/०३/२०२३

विषय-खाजगी निमवेदयकिय संस्थेला अनुभवाकरीता परवानगी मिळणेबाबत.

१३३
१०/४/२२

- प्राचार्य, समर्थ नर्सिंग कॉलेज, रानपिसे नगर, अकोला.
संदर्भ-१) उपसंचालक आरोग्य सेवा, अकोला मंडळ, अकोला यांचे पत्र जा. क्र. आस्था-७ /प्रात्या.अनु./११३०९-१२, १९-२१/२२, दिनांक ३१.०३.२०२२
२) सार्वजनिक आरोग्य विभाग आ-४ यांचे शासन निर्णय क्र. प्राअसं-२०१२/६३९/ प्र.क्र.११७/आरोग्य-४, मंत्रालय, मुंबई दिनांक १८.९.२०१२
३) शासन शुद्धीपत्रक सार्वजनिक आरोग्य विभाग, आ-४ यांचे शासन निर्णय क्र. प्राअसं-२०१२/६३९/प्र.क्र.११७/आरोग्य-४, मंत्रालय, मुंबई, दि.२०.११.२०१२

उपरोक्त विषयाकित्त संदर्भिय पत्रान्वये उपसंचालक आरोग्य सेवा, अकोला मंडळ, अकोला यांचेकडून श्री. समर्थ शिक्षण व क्रीडा प्रसारक मंडळ, अकोला संचलित समर्थ नर्सिंग कॉलेज, अकोला या संस्थेचा प्रात्यक्षिक अनुभवासाठी परवानगी मिळणेबाबतचा प्रस्ताव आयुक्तालयास प्राप्त झालेला आहे.

सदर खाजगी नर्सिंग संस्थेतील वी.एस्सी नर्सिंग ३०, पी.बी.बीएस्सी. नर्सिंग ५० व जी.एन.एम नर्सिंगच्या ५० विद्यार्थी/विद्यार्थीनींना प्रात्यक्षिक अनुभवासाठी १) प्राथमिक आरोग्य केंद्र कान्हेरी सरप पारस व पळसो जि. अकोला तसेच जिल्हा स्त्री रुग्णालय अकोला येथे संदर्भिय शासन निर्णयातील अटी शर्ती व उपसंचालक आरोग्य सेवा, अकोला मंडळ, अकोला यांच्या शिफारशीच्या व खालील अटींची पूर्तता करण्याच्या अधिन राहून, सन २०२२-२०२३ या शैक्षणिक वर्ष करीता प्रथम वर्षासाठी परवानगी प्रदान करण्यात येत आहे.

- १) सार्वजनिक आरोग्य विभाग आणि वेदयकिय शिक्षण व औपधी द्वये विभाग यांनी सध्या निर्देशित केलेल्या अटी व शर्तीचे पालन करणे संस्थेवर बंधनकारक राहिल.
- २) या शैक्षणिक वर्षा नंतर सदर परवानगी ची प्रथम मुदत वाढ संबंधित, जिल्हा शल्य चिकीत्सक, सामान्य रुग्णालय अकोला/ जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, अकोला यांच्या कडून घेण्यात (कृ.मा.प.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

यावी, यांना सन २०२३-२०२४ आणि २०२४-२०२५ साठीची मूदतवाढ प्रदान करावी.

- ३) ३ वर्षां नंतर शासकीय आरोग्य संस्थेतील खाटा प्रात्यक्षिक अनुभवासाठी वापरण्यास देता येणार नाही.
- ४) सदंभीय शासन निर्णय क्र.२ व ३ मधील अटी व शर्तीची पूर्तता करून घेण्याची जबाबदारी, जिल्हा शल्य चिकीत्सक, सामान्य रुग्णालय अकोला/जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, अकोला यांची राहिल.
- ५) संबंधित संस्थेकडून अग्रिम शुल्क आकारणी करून त्याचा भरणा चलना द्वारे शासन खाती जमा करण्यात यावे व याबाबतचे सर्व अभिलेख स्वतंत्र रित्या ठेवून, तपासणीच्या वेळी संबंधितांना वेळोवेळी उपलब्ध करून घ्यावे. या खाती जमा केलेल्या रकमेचा हिशोब अचुक व अद्यावत राहिल या बाबतची सर्वस्वी जबाबदारी, जिल्हा शल्य चिकीत्सक, सामान्य रुग्णालय अकोला/ जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, अकोला यांची राहिल.
- ६) जिल्ह्यातील सर्व मान्यता प्राप्त निमवैद्यकीय विद्यालयाची एकूण संख्या लक्षात घेता, जिल्हा शल्य चिकीत्सक, सामान्य रुग्णालय अकोला/जिल्हा आरोग्य अधिकारी, जिल्हा परिषद, अकोला यांनी त्यांच्या अधिनस्थ असलेल्या सर्व रुग्णालयातील खाटा वापराबाबतचे स्थानिक स्तरावर नियोजन करावे. एकाच कालावधीत दुबार खाटा वापरण्यात देता येणार नाही, यादृष्टीने जिल्हा स्तरावर आवश्यक ती खबरदारी/व्यवस्थापन करण्यात यावे.
- ७) संबंधित संस्थेतील बी.एस्सी/पी.बी.बी.एस्सी/जी.एन.एम. नर्सिंग विद्यार्थी/विद्यार्थीनी नियमित येतात की नाही व याचा फायदा संबंधित संस्थेला होतो का ते पाहावे व त्याचा अहवाल आयुक्तालयास पाठवावा.

(मा. आयुक्त यांच्या मान्य टिपणीनुसार)

(डॉ. विजय कदंबाड)

सहसंचालक आरोग्य सेवा,
(रुग्णालय-राज्यस्तर) मुंबई.

प्रति,

उपसंचालक आरोग्य सेवा, अकोला मंडळ, अकोला.

प्रत- जिल्हा शल्य चिकीत्सक, सामान्य रुग्णालय अकोला/ जिल्हा आरोग्य अधिकारी, जिल्हा परिषद अकोला.

/- आपणास कळविण्यात येते की संबंधित संस्थेकडून शासन निर्णय दिनांक १८ सप्टेंबर २०१२ च्या शासन निर्णयानुसार प्रथमतः अग्रिम शुल्क भरणा करण्यात यावा. तसेच आदेशातील नमूद अटी व शर्तीची पूर्तता करून घेण्याची सर्वस्वी जबाबदारी आम्हाला राहिल याची नोंद घ्यावी.

प्रत- श्री. नितीन भास्कर वाटे(अध्यक्ष), श्री. समर्थ शिक्षण क्रीडा प्रसारक मंडळ अकोला.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola

आरोग्य सेवा

जा.क्र.वै.आ.अ./अमनपा/ 73 /२०२५
वैद्यकीय आरोग्य अधिकारी यांचे कार्यालय,
अकोला महानगरपालिका, अकोला
दिनांक: 13/०६/२०२५

प्रति,

प्राचार्य
श्री.समर्थ नर्सिंग महाविद्यालय
रणपिसे नगर, अकोला

विषय:- श्री.समर्थ नर्सिंग महाविद्यालयातील B.Sc नर्सिंग व P.B.B.Sc नर्सिंग विध्यर्थ्यांना प्रात्यक्षिक अनुभव मिळण्याकरिता परवानगी मिळणे बाबत.

संदर्भ:- SMC/१६१५/२०२५ दि.१०/०२/२०२५ प्राप्त पत्रानुसार.

वरील संदर्भीय विषयास अनुसरून आपल्या संस्थेद्वारा प्रस्तावित श्री.समर्थ नर्सिंग महाविद्यालय रणपिसे नगर, अकोला येथील B.Sc नर्सिंग व P.B.B.Sc नर्सिंग प्रशिक्षणार्थींना वैद्यकीय आरोग्य विभाग महानगरपालिका, अकोला अंतर्गत नागरी आरोग्य केंद्र डाबकी रोड व नागरी आरोग्य केंद्र अकोट फेल येथील अशोक नगर आयुर्वेदीक दवाखाना सन २०२३-२०२४, २०२४-२०२५ तसेच २०२५-२०२६ या वर्षा करिता समर्थ नर्सिंग महाविद्यालयातील विध्यर्थ्यांना प्रात्यक्षिक अनुभव करिता खालील अटी व शर्ती नुसार परवानगी देण्यात येत आहे.

अटी व शर्ती:-

- १) प्रात्यक्षिक प्रशिक्षण कालावधी आदेश मिळाल्यापासुन मागणीनुसार राहिल.
- २) मनपा च्या कोणत्याही आरोग्य केंद्रात आपल्या संस्थेस कोणत्याही नावाचे फलक लावण्याआधी मनपा प्रशासनाची परवानगी घेतल्याशिवाय लावता येणार नाही.
- ३) मनपा नागरी आरोग्य केंद्राचे वेळेनुसारच प्रशिक्षण कालावधी निश्चित केला जाईल.
- ४) प्रशिक्षणार्थींच्या नावाबाबतची यादी संपुर्ण पत्त्यासह प्रत्येक नागरी आरोग्य केंद्रास सादर करुन त्याबाबतची एक प्रत वैद्यकीय आरोग्य अधिकारी यांना सादर करावी लागेल.
- ५) मनपा कडुन प्रशिक्षण घेत असलेल्या प्रशिक्षणार्थींना कोणत्याही प्रकारचे मानधन किंवा वेतन भत्ते मिळणार नाहीत.
- ६) आपले संस्थेचे प्रशिक्षणार्थी यांना आपणास आवश्यक साहित्य किंवा औषधी याबाबतचा खर्च आपणांस स्वतः करावा लागेल.
- ७) मनपा ला आवश्यक वाटल्यास प्रशिक्षणापूर्वी या प्रशिक्षणाचा कालावधी रद्द करण्याचा अधिकार राहिल.
- ८) प्रशिक्षणार्थी सोबत एक अधिकारी आपल्या संस्थेतील राहिल तसेच प्रशिक्षणार्थींची जबाबदारी पुर्णपणे आपल्या संस्थेची राहिल



Principal

Samarth Nursing College,
Ranpise Nagar, Akola.

10/6/2025
वैद्यकीय आरोग्य अधिकारी
अकोला महानगरपालिका, अकोला



Ref.: SNC/1615/2025

Date: 10/02/2025

प्रति,

मा. वैद्यकीय आरोग्य अधिकारी

कस्तुरबा गांधी रुग्णालय, डाबकी रोड,

अकोला महानगरपालिका अकोला,

अकोला - ४४४००१

अर्जदार :- समर्थ नर्सिंग महाविद्यालय रणपिसे नगर, अकोला

संदर्भ :- जा. क्र. म. न.पा/वैआअ/ ८३/२०२४ दिनांक ०८.०७.२०२४ रोजीचे पत्रानुसार

विषय :- समर्थ नर्सिंग महाविद्यालयातील B.Sc नर्सिंग व P.B.B.Sc नर्सिंग विद्यार्थ्यांना प्रात्यक्षिक अनुभव

मिळण्याकरिता परवानगी मिळणे बाबत

महोदय,

वरील संदर्भीय विषयास अनुसरून आपणास विनंती करण्यात येते की समर्थ नर्सिंग महाविद्यालय रणपिसे नगर, अकोला येथील B.Sc नर्सिंग (30) व P.B.B.Sc नर्सिंग (50) विद्यार्थी संख्या असलेले विद्यार्थ्यांना आपले अधिनस्त असलेले महानगर पालिकेचे वैद्यकीय आरोग्य विभाग अंतर्गत असलेल्या नागरी आरोग्य केंद्र कस्तुरबा गांधी रुग्णालय डाबकी रोड अकोला व अकोट फैल येथील अशोक नगर आयुर्वेदिक दवाखाना येथे मागील संदर्भीय पत्रानुसार सत्र २०२३ - २४ करिता परवानगी प्राप्त होती. सत्र २०२४ - २५ व २०२५ - २६ या वर्षाकरिता परत समर्थ नर्सिंग महाविद्यालयातील विद्यार्थ्यांना प्रात्यक्षिक अनुभवाकरिता परवानगी देण्यात यावी. करिता आपले सेवेसी सविनय विनंती अर्ज सादर करित आहे.

10/02/25
A.M.C.

Principal
Samarth Nursing College,
Ranpise Nagar, Akola.

कार्यालय : जिल्हा शल्य चिकित्सक, सामान्य रुग्णालय, अकोला
दुरध्वनी क्र. (०२२४) २४३४४०१, २४३५०१८ फॅक्स क्र. २४३६२४
ई-मेल : ca_akola@rediffmail.com

आरोग्य सेवा

जा.क्र./निष्पत्ती/लेखा/प्रात्याक्षिक अनुभव/परवानगी/ 11160-63 /२०२३
दिनांक :- 28/07/23

प्रति,
मा. वैद्यकीय अधिक्षिक
जिल्हा स्त्री रुग्णालय, अकोला


विषय:- प्राचार्य समर्थ नर्सिंग महाविद्यालय, रनपिसे नगर, अकोला या संस्थेतील जीवतणुम,
पी.बी.बी.एस्सी नर्सिंग, बी.एस्सी नर्सिंग या अभ्यासक्रमातील विद्यार्थ्यांना चिकित्सालयात
/प्रात्याक्षिक अनुभवासाठी जिल्हा स्त्री रुग्णालय, अकोला येथे परवानगी देणेबाबत

- संदर्भ:- १) शासन निर्णय सार्वजनिक आरोग्य विभाग, शासन निर्णय क्र. प्रासस-२०१२/६३९/प्र.
क्र.११३/आरोग्य-२ मंत्रालय, मुंबई दि १८ सप्टेंबर २०१८
२) मा.सहसंचालक आरोग्य सेवा (रुग्णालय-राज्यस्तर) मुंबई यांचे पत्र क्र.
सआस/कस-१/८-१/प्रात्य अनुभव /परवानगी/प्राचार्य समर्थ मिशन नर्सिंग/२०२३-२७/२३
दिनांक २१/३/२०२३
३) प्राचार्य समर्थ नर्सिंग महाविद्यालय, रनपिसे नगर, अकोला यांचे पत्र क्र.
१३२५/२०२३-२३ दिनांक १०/०५/२०२३
४) प्राचार्य समर्थ नर्सिंग महाविद्यालय, रनपिसे नगर, अकोला यांचे पत्र क्र.८९/२०२३
दिनांक २६/०७/२०२३

उपरोक्त संदर्भिय विषयांतर्घ्ये कळविण्यात येते की, संदर्भिय आदेश क्र.१ व २ नुसार अन्वये
प्राचार्य समर्थ नर्सिंग महाविद्यालय, रनपिसे नगर, अकोला यांना सन २०२३-२४ साठी त्यांचे संस्थेतील
जीवतणुम, पी.बी.बी.एस्सी नर्सिंग, बी.एस्सी नर्सिंग या अभ्यासक्रमातील विद्यार्थ्यांना यांना अनुभवाकरिता
आपले संस्थेमध्ये प्रात्याक्षिक अनुभवासाठी परवानगी प्रदान केलेली आहे. (सोबत संदर्भिय पत्राची प्रत जोडली
आहे)

त्यानुसार कळविण्यात येते की, संदर्भिय संस्थेने नियमानुसार प्रति विद्यार्थी रु.५०/- प्रतिदिवस
याप्रमाणे एकूण ६२ विद्यार्थ्यांना आपल्या रुग्णालयामध्ये प्रात्याक्षिक अनुभवानाठी संदर्भिय संस्थेने या
कार्यालयात गुल्लकभा भरणा केलेल्या अयुक्त प्राचार्य समर्थ नर्सिंग महाविद्यालय, रनपिसे नगर, अकोला या
संस्थेतील विद्यार्थ्यांना दिनांक ०१/०८/२०२३ पासून आपल्या संस्थेमध्ये प्रात्याक्षिक अनुभवानाठी परवानगी
प्रदान करावी.

उक्त संदर्भिय आदेशानुसार आपणांस कळविण्या येते की, प्रात्याक्षिक अनुभवानाठी प्रत्येक
विद्यार्थी करीता सुटीचे विवरण वगळत एकूण २५ दिवसा करीता असेल या पेशा जास्त दिवस होणार
नाही याची दक्षता घेण्यात यावी सोबत आवश्यक संदर्भिय पत्राच्या प्रती जोडण्यात येत आहे.


28.7.23
जिल्हा शल्यचिकित्सक, अकोला


प्रतिलिपी माहितीकरीता सविनय सादर,
मा.सहसंचालक आरोग्य सेवा (रुग्णालय-राज्यस्तर) मुंबई
मा.उपसंचालक आरोग्य सेवा, अकोला मंडळ, अकोला.

प्रत:- प्राचार्य समर्थ नर्सिंग महाविद्यालय, रनपिसे नगर, अकोला आपण दिनांक ०१/०८/२०२३ पासून
एकूण ६२ प्रतिलिपीयांची यांना २५ दिवसाकरिता पाठविण्यात यावे, व संदर्भिय प्रतिलिपीयांची यांना
मिल्लीने व संदर्भिय अधिकाऱ्याच्या सांगण्यानुसार बतपुक करतील याची दक्षता याची व तसा मुचना
प्रतिलिपीयांना आपल्या स्तरावरून देण्यात याव्या.

1/3531/2023



सर्वोच्च शिक्षण



संचालनालय, वैद्यकीय शिक्षण आणि संशोधन, मुंबई

राज्यीय उच्च शिक्षण विभाग व राज्यीय उच्च शिक्षण मंडळ, सार्वभौमिक शिक्षण विभाग, पो. कॅम्पे रोड, मुंबई - ४००००६
 दूरध्वनी-०२२-२२२४२४२१-२२/२२२४२४२२-२२/२२. ईमेल: "MESTUC@MAEACHE" DMER-११-२२-२२२३-२२/२२२४-२२२४
 WWW.MESTUC.MAHARASHTRA.GOV.IN

No.DMER-१२०१९/१/२०२३-EDU.

दिनांक: ०६/०९/२०२३.

प्रति,

मा.सचिव,

राज्यीय शिक्षण व औषधी प्रत्येक विभाग,

गो.ते. रुग्णालय संकुल इमारत, ९ वा मजला,

लोकमान्य टिळक मार्ग, मंत्रालय, मुंबई-०९.

विषय श्री.समर्थ शिक्षण व क्रिडा प्रसारक मंडळ, अकोला या संस्थेतील जी.एन.एम. बी.एस्सी व पी.बी.बी.एस्सी. नर्सिंग अभ्यासक्रमाच्या विद्यार्थ्यांना शासकीय वैद्यकीय महाविद्यालय व रुग्णालय, अकोला येथे चिकित्सालयीन प्रात्यक्षिक अनुभवासाठी परवानगी देणेबाबत.

- संदर्भ १) शासन निर्णय क्र.एचएसपी-२०१५/प्र.क्र.१९६/शिकान/शिक्षण-१, दि.१२/१२/२०१७.
 २) अध्यक्ष, श्री.समर्थ शिक्षण व क्रिडा प्रसारक मंडळ, रणपिसे नगर, अकोला यांचे पत्र क्र. SSSVKPM/३१३/हॉस्पिटल परवानगी/२०२२, दिनांक :- निरंवा/१५/२०२२
 ३) अधिष्ठाता, शासकीय अकोला यांचे पत्र क्र.शासकीय/आस्था-३ (नर्सिंग)/प्रात्य.अनु/६५५८-६०/२०२२, दिनांक ३०.११.२०२२.
 ४) संचालनालयाचे पत्र क्र. १०: DMER-१२०१९/१/२०२३-EDU, दि: १३/०९/२०२३.
 ५) अधिष्ठाता, शासकीय अकोला यांचे पत्र क्र.शासकीय/आस्था-३ (नर्सिंग)/प्रात्य.अनु/१०९३/२०२३, दिनांक ०९.०३.२०२३.

प्रस्तुत विषयी अध्यक्ष, श्री.समर्थ शिक्षण व क्रिडा प्रसारक मंडळ, अकोला यांनी संदर्भ क्र.२ अन्वये संस्थेच्या जी.एन.एम. बी.एस्सी व पी.बी.बी.एस्सी. नर्सिंग अभ्यासक्रमाच्या विद्यार्थ्यांना अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय व सार्वभौमिक रुग्णालय, अकोला येथील रुग्णशाळा शैक्षणिक प्रयोजनार्थ चिकित्सालयीन/ प्रात्यक्षिक अनुभवासाठी वापरण्यास देणेबाबत विनंती केली असून अधिष्ठाता, शासकीय अकोला यांनी दिनांक ३०.११.२०२२ च्या पत्रान्वये संचालनालयास प्रस्तावित केले आहे.

सद्व.अनुमंत्ताने अधिष्ठाता, शासकीय वैद्यकीय महाविद्यालय व सार्वभौमिक रुग्णालय, अकोला यांनी संदर्भ क्र.५ च्या पत्रान्वये प्रस्तावित श्री.समर्थ शिक्षण व क्रिडा प्रसारक मंडळ, अकोला या संस्थेच्या जी.एन.एम. बी.एस्सी व पी.बी.बी.एस्सी. नर्सिंग या अभ्यासक्रमाच्या प्रवेशित विद्यार्थ्यांना रुग्णशाळा प्रात्यक्षिक अनुभवाकरिता व शैक्षणिक प्रयोजनार्थ वापरण्यास देण्याबाबत या संस्थेच्या अभ्यास मंडळाचे अध्यक्ष मा.श्री.रणधीर सागरकर यांची शिफारस व रुग्णसेवा लक्षात घेता परवानगी देण्यास हरकत नाही असे अतिप्राथ दिले असून उक्त संस्थेस शैक्षणिक प्रयोजनार्थ रुग्णशाळा वापरण्यास दिल्यास रुग्णालयास उपयोग होईल व त्याचा रुग्णालयीन प्रशासनावर कोणताही परिणाम होणार नाही, याबाबतचे विहित विवरणपत्र "अ" व "ब" मध्ये सादर केले आहे.

[कु.मा.१३]

Principal

Samarth Nursing College,
Ranpise Nagar, Akola.